

**DECLARATION DE PERFORMANCES**  
**Nº: 800002**

1. **Product:**  
MORCEMSEC CAPA GRUESA
2. **Manufacturer:**  
GRUPO PUMA SL, located in:  
Avda Agrupación Córdoba 17,  
14014 Córdoba  
[www.grupopuma.com](http://www.grupopuma.com)
3. **Intended use:** Mortar for plaster and colored plaster CR CSIV W2, for the realization of exterior plastering projected up to 2 cm, impermeable to rainwater.
4. **Evaluation system:**  
4
5. **Declared performances:**

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Type A1	EN 998-1:2018
Water absorption	W2	
Diffusion coefficient of water vapour	$\mu \leq 15$	
Thermal conductivity ( $\lambda_{10,dry}$ )	PND	
Adhesion	$\geq 0.3$ N/mm <sup>2</sup> Shape A/B breakage	
Durability	PND	
Hazardous substances	See safety datasheet	

The performances of the product identified in point 1 comply with the performance declared in point 5.  
This declaration of features is issued under the sole responsibility of manufacturer stated in point 2, in accordance with Regulation (EU) No 305/2011.  
Signed by and on manufacturer behalf  
Place and date of issue: Córdoba, 06/06/2022



Technical director: José A. Ferre Martínez



GRUPO PUMA S.L  
 Avda. Agrupación Córdoba 17  
 14014 Córdoba  
 18

**MORCEMSEC CAPA GRUESA**  
**Nº: 800002**  
**EN 998-1**

Mortar for plaster and colored plaster CR CSIV W2, for the realization of exterior plastering projected up to 2 cm, impermeable to rainwater.

<b>Reaction to fire</b>	Type A1
<b>Water absorption</b>	W2
<b>Diffusion coefficient of water vapour</b>	$\mu \leq 15$
<b>Adhesion</b>	$\geq 0.3$ N/mm <sup>2</sup> Shape A/B breakage