



SOLUTIONS FOR REPAIR,
RENOVATION AND DECORATION

PUMAPLAST RANGE




grupopuma

PUMAPLAST



Ready to use filler for rendering and smoothing rough surfaces for decoration.

Interior use on substrates such as plaster, gypsum, plasterboard, mortars, concrete, old paints, etc.

Features and application.

- Smoothing and levelling of plastic-coated textured surfaces (gotelé).
- Filling small defects, holes, scratches, fissures, cracks, etc.
- Fine, hard finish with high whiteness, suitable for all types of plastic paints, wallpaper, etc. Finish level: Q4.
- Easy preparation and application with trowel or spatula.
- Easy sanding and minimal shrinkage.
- Reduces substrate absorption, increasing paint coverage.
- Correct adhesion.
- Allows fresh over fresh application.
- It can be manually or mechanically applied.



5 and 15 kg bags 1, 5, and 20 kg container



White



PUMAPLAST RENOVACIÓN EXTRA



Special renovation filler with excellent workability, whiteness, and hardness.

Designed to refurbish or smooth plastic-coated textured finishes (gotelé), embossed backgrounds, and rough surfaces. Can be applied directly onto the surface to be refurbished thanks to its excellent adhesion.

Features and application.

- Excellent workability and time-saving application.
- Excellent coverage.
- For application on painted interior surfaces, to smooth and level walls with textured paint, gotelé, or other relief finishes.
- Suitable for covering satin or shiny paints and for smoothing and levelling walls after removing wallpaper or carpet.



15 kg bags



White



PUMAPLAST EXTERIOR-CERÁMICA



Exterior repair filler.

Formulated with fine-grain additives and aggregates based on cement, offering excellent workability, hardness, and whiteness. It is a plastic putty for rendering, smoothing, and filling on exterior substrates.

Features and application.

- Excellent whiteness.
- Due to its easy preparation and setting time, it is used as a cement-based repair paste for both exterior and interior applications.
- Suitable for covering ceramic surfaces.
- Also suitable for covering non-structural cracks or without movement.
- Effective for sealing cracks and micro-cracks.
- Ceramic plaster with no need for a bonding agent.



20 kg bags 5 kg and
20 kg container



White



PUMAPLAST EXTERIOR FIBRADA



Ready-to-use flexible plastic putty for filling cracks and fissures with movement.

Features and application.

- Applicable for exterior and interior use on concrete, cement, gypsum, and plastic paints...
- Sealing and reinforcing dynamic cracks and fissures.



1 and 5 kg containers



White





Customer service phone

(+34) 957 76 40 40

www.grupopuma.com